EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050086367"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 14:05
S2	50	(US-6973057-$ or US-6965572-$ or US-6574214-$ or US-7023846-$ or US-6920133-$ or US-6449283-$ or US-7020150-$ or US-6977932-$ or US-6956821-$ or US-6791985-$ or US-6438612-$ or US-6947428-$ or US-6473434-$ or US-7035226-$ or US-6665273-$ or US-6856991-$ or US-5325362-$ or US-6611532-$ or US-7027400-$ or US-7061921-$ or US-6956846-$ or US-6512766-$ or US-6707809-$ or US-7023820-$ or US-7076559-$ or US-7047315-$). did. or (US-6771662-$ or US-6331983-$ or US-6370144-$ or US-6389031-$ or US-6895008-$ or US-6130889-$ or US-6055561-$ or US-6683865-$ or US-7058059-$ or US-5964841-$ or US-6408336-$ or US-6452920-$ or US-6856624-$ or US-6295296-$ or US-6473421-$ or US-6603756-$ or US-6118785-$ or US-6331978-$ or US-6628649-$ or US-6839322-$ or US-6920134-$ or US-7012933-$ or US-7069336-$ or US-7042838-$).did.	USPAT	OR	OFF	2006/10/16 13:25
S3	56	map$4 near7 (tunnel$3 near5 (protocol interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:15
S4	37	S3 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:13
S5	58	(multiple many) near4 (tunnel$4 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 11:36

S6	47	S5 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 11:36
S7	45	S6 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:03
S8	192	tunnel adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:16
S9	165	S8 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:27
S10	66	S9 and map$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:16
S11	6	S8 same map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:16
S12	4	S11 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:01
S13	7	(US-20050086367-$ or US-20030223378-$ or US-20020101870-$).did. or (US-6977932-$ or US-6920133-$ or US-6771662-$ or US-7092389-$).did.	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:25
S14	69	(classif$6 associat$5 organiz$5 sort$3) near4 (tunnel$3 near2 (interface protocol standard))	US-PGPUB; USPAT	OR	ON	2006/10/17 14:26

EAST Search History

S15	57	S14 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:27
S16	274	database near6 tunnel$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 10:31
S18	19	database near6 (tunnel$4 adj3 (interface$1 protocol$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 10:44
S19	1023	tunnel$4 adj3 interface$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 11:05
S20	49	tunnel near4 information near4 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 11:05
S21	43	S20 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:04
S22	1025	tunnel$4 adj3 interface$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:04
S23	1	S22 same (map$4 adj3 base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:04

S24	2	S22 same (map$4 near4 base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:06
S25	8	S22 same (map$4 adj3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08
S26	3	(layer adj ("2" and S22)) same tunnel$3 near4 interface$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:10
S27	29	(layer adj "2") and (layer adj "3") same (tunnel$3 near4 interface$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:13
S28	288	ethernet near3 MPLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:13
S29	27	S28 same tunnel$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:13
S30	0	S28 same ((layer I) adj1 "2") and (switch$3 near4 base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:15
S31	5	S28 and ((layer I) adj1 "2") and (switch$3 near4 base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:15

EAST Search History

S32	0	associat$4 near3 ((rout$3 map$4) near3 table) near5 (tunnel$3 adj3 (interface protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:52
S33	7	associat$4 near3 ((rout$3 map$4) near3 table) same (tunnel$3 adj3 (interface protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:46
S34	0	mapping near4 ("l2" and "l3") near4 layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:47
S35	1	mapping near4 ("l2" and "l3") near4 streams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:47
S36	2	mapping near4 (("l2" and "l3") ((layer adj "1") and (layer adj "2"))) near4 streams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:49
S37	0	mapping near4 (("l2" and "l3") ((layer adj "1") and (layer adj "2"))) near4 interface$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:48
S38	1	mapping near4 (("l2" and "l3") ((layer adj "3") and (layer adj "2"))) near4 streams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:56
S39	6	((layer adj "2") and (layer adj S22))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:55

EAST Search History

S40	1	mapping near4 (("l2" and "l3") ((layer3) and (layer2))) near4 streams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 16:02
S41	0	mapping near4 ((layer3) and (layer2)) near4 streams	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:56
S42	0	mapping near4 ((layer3) and (layer2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:57
S43	0	map$4 near4 ((layer3) and (layer2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 12:57
S44	5	map$4 same ((layer3) and (layer2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:00
S45	654	(multi multiple) near7 layer near7 tunnel$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:00
S46	34	S45 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:00
S47	24	S46 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:22

S48	2	parameters near3 include near3 ((hop adj limit) TTL (tunnel adj mtu))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:55
S49	7	tunnel adj MTU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:57
S50	1	tunnel adj (ttl (hop adj limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:58
S51	113	(IPv4 near5 IPv6) near4 interface$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 13:59
S52	23	S51 same tunnel$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:15
S53	10	tunnel near5 based near5 (ttl hop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:16
S54	16	S52 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:33
S55	14	(table database) near4 include$1 near4 ((TTL) (hop adj limit) (time adj to adj live) (time-to-live))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:40

S56	0	S55 same tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:38
S57	1	S55 and tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:38
S58	195	(table database) near4 ((TTL) (hop adj limit) (time adj to adj live) (time-to-live))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:41
S59	1	S58 same tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:41
S60	1	S58 near5 tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:41
S61	1	S58 near10 tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:41
S62	7	S58 and tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:20
S63	557	(routing adj table) near5 (hop ttl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:20

EAST Search History

S64	10	S63 same tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:22
S65	5	set adj hop adj limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:24
S66	109	(ipv4 near3 ipv6) near5 support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:24
S67	8	S66 same tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:32
S68	34	set near3 hop near3 limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:32
S69	29	S68 and (@ad<="20031020" @rlad<="20031020")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:41
S70	1	associate near4 (mpls near5 ((lib) (line adj information adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:42
S71	1	associate same (mpls near5 ((lib) (line adj information adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 15:42

S72	61	"6339595"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 16:00
S73	2	(("l2" and "l3") ((layer3) and (layer2))) near4 tunnels	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 16:03